



NATO STOCK NO. 9150-32-083-8144

VAPPRO 818 CLP

PROTECTS CARBON STEEL, STAINLESS STEEL, ALUMINIUM, COPPER AND ITS ALLOY

Conforms to MIL-SPEC. MIL-PRF-63460D & MIL-C-372



The details of our products are given completely free of undertaking. Since their application lies outside our control, we cannot accept any liability for the results. User shall determine the suitability of the product for its intended use, and user assumes all risk and liability whatsoever in connection therewith.



VAPPRO 818 CLP

Gone are the days where black greasy hands and fatigues rule the armoury. Small arms and light weapons have never stayed so clean and greaseless before.

This is made possible by a revolutionary 3-in-1 cleaning and anti-corrosion agent known as Vapro 818 VCI CLP. Carbon and light corrosion deposits are removed with one swipe, leaving behind a thin film of corrosion inhibitor that passivates the weapons from corrosion. Vapro 818 VCI CLP is non-greasy and easy to apply. When applied, Vapro 818 VCI vapour migrates and passivates all recessed areas and cavities. It cleans the mechanisms and gun cores speedily and effectively. Best of all, once applied, Vapro 818 CLP does not require removal. Arms are at the ready at all times.


Use Vapro 818 VCI CLP for the cleaning of small arms, automatic weapons, howitzers, battle tank's gun barrel, naval and aircraft weapons before and after firing for optimum corrosion protection.



Cleaning and preparation of 0.5 caliber Brownings with Vapro 818 CLP before preservation.



Cleaning of GPMG(General Purpose Machine Gun) with Vapro 818 CLP.



Before Cleaning Barrel



After Cleaning Barrel



Cleaning and preservation of M16s using Vapro 818 CLP.



A preserved 0.5 mm Browning M2 Machine Gun after cleaning with Vapro 818 CLP and Arm-Gard.

The details of our products are given completely free of undertaking. Since their application lies outside our control, we cannot accept any liability for the results. User shall determine the suitability of the product for its intended use, and user assumes all risk and liability whatsoever in connection therewith.



DESCRIPTION

Vapro 818 CLP is a revolutionary cleaning and anti-corrosion agent, which removes carbon, and light corrosion deposits while leaving behind a thin film of corrosion inhibitor that passivates the weapons from corrosion.

Vapro 818 CLP is an ozone and environmentally friendly cleaning agent. It enhances the operations readiness of the weapons by providing optimum protection of the weapons from corrosion.

It was specially developed for the cleaning of small arms, automatic weapons, Naval and aircraft weapons before and after firing.

PHYSICAL PROPERTIES

Flash Point	80°C
Specific Gravity	0.76
Appearance	Clear and transparent free flowing liquid
Colour	Amber Brown



FEATURES & BENEFITS

- ★ Provides triple-action performance: Cleans, Removes light rust and Leaves a thin film of corrosion inhibitors.
- ★ Cleans the mechanism and gun cores speedily and effectively.
- ★ Reduces need for multiple chemical agents.
- ★ Leaves temporary protective coating, providing anti-corrosion for up to several weeks.
- ★ Ozone & environmentally friendly.
- ★ Reduces chemical consumption and costs.
- ★ Temporary preservation for metallic item.
- ★ VCI Vapour migrates and passivates all recessed areas and cavities.
- ★ No need to remove VCI protection, eliminating processing steps.
- ★ Enhances operation readiness of the weapon.
- ★ Easy to apply.



Cleaning of Howitzer Gun Barrel with Vapro 818 CLP.



www.magnachem.com.sg

Magna



Magna International Pte Ltd
10H, Enterprise Road,
Singapore 629834.
Tel (65) 6788-1228
Fax (65) 6785-1497
Email info@magnachem.com.sg
Website <http://www.magnachem.com.sg>

1450 Government Road West
Kirkland Lake, Ontario P2N 2E9
Canada
Email magna@vapro.com
Website: <http://www.vapro.com>

Distributed By:

Magna and Vapro are registered trademarks of Magna International Pte Ltd.

Copyright 2007. The details of our products are given completely free of undertaking. Since their application lies outside our control, we cannot accept any liability for the results. User shall determine the suitability of the product for its intended use, and user assumes all risk and liability whatsoever in connection therewith.